

# Klamath County Public Health

FOR IMMEDIATE RELEASE

CONTACT: Valeree Lane, [vlane@klamathcounty.org](mailto:vlane@klamathcounty.org), 541.882.8846

September 22, 2020

## Klamath County reports 2 new cases of COVID-19

KLAMATH FALLS, Ore. – Klamath County Public Health (KCPH) officials report two new cases of COVID-19 in the community, bringing the local count to 277.

This week's count is four.

Information specific to Klamath County can be found at <https://www.klamathcounty.org/1076/Klamath-County-data>.

KCPH Director Jennifer Little encourages everyone to follow CDC guidelines:

### **Everyone Should**

- Wash your hands often
  - Wash your hands often with soap and water for at least 20 seconds especially after you have been in a public place, or after blowing your nose, coughing, or sneezing.
- It's especially important to wash:
  - Before eating or preparing food
  - Before touching your face
  - After using the restroom
  - After leaving a public place
  - After blowing your nose, coughing, or sneezing
  - After handling your mask
  - After changing a diaper
  - After caring for someone sick
  - After touching animals or pets
- If soap and water are not readily available, use a hand sanitizer that contains at least 60% alcohol. Cover all surfaces of your hands and rub them together until they feel dry.
- Avoid touching your eyes, nose, and mouth with unwashed hands.

### **Avoid close contact**

- Inside your home: Avoid close contact with people who are sick.
  - If possible, maintain 6 feet between the person who is sick and other household members.
- Outside your home: Put 6 feet of distance between yourself and people who don't live in your household.
- Remember that some people without symptoms may be able to spread virus.
- Stay at least 6 feet (about 2 arms' length) from other people.
- Keeping distance from others is especially important for people who are at higher risk of getting very sick.

### **Cover your mouth and nose with a mask when around others**

- You could spread COVID-19 to others even if you do not feel sick.
- The mask is meant to protect other people in case you are infected.

- Everyone should wear a mask in public settings and when around people who don't live in your household, especially when other social distancing measures are difficult to maintain.
- Masks should not be placed on young children under age 2, anyone who has trouble breathing, or is unconscious, incapacitated or otherwise unable to remove the mask without assistance.
- Do NOT use a mask meant for a healthcare worker. Currently, surgical masks and N95 respirators are critical supplies that should be reserved for healthcare workers and other first responders.
- Continue to keep about 6 feet between yourself and others. The mask is not a substitute for social distancing.

### Cover coughs and sneezes

- Always cover your mouth and nose with a tissue when you cough or sneeze or use the inside of your elbow and do not spit.
- Throw used tissues in the trash.
- Immediately wash your hands with soap and water for at least 20 seconds. If soap and water are not readily available, clean your hands with a hand sanitizer that contains at least 60% alcohol.

### Clean and disinfect

- Clean AND disinfect frequently touched surfaces daily. This includes tables, doorknobs, light switches, countertops, handles, desks, phones, keyboards, toilets, faucets, and sinks.
- If surfaces are dirty, clean them. Use detergent or soap and water prior to disinfection.
- Then, use a household disinfectant. Most common EPA-registered household disinfectants will work.

### Monitor Your Health Daily

- Be alert for symptoms. Watch for fever, cough, shortness of breath, or other symptoms of COVID-19.
  - Especially important if you are running essential errands, going into the office or workplace, and in settings where it may be difficult to keep a physical distance of 6 feet.
- Take your temperature if symptoms develop.
  - Don't take your temperature within 30 minutes of exercising or after taking medications that could lower your temperature, like acetaminophen.

Sex	Cases	Deaths
Male	129	1
Female	148	1
Unknown	—	—
Total	277	2

Age group	Cases	Ever hospitalized	Deaths
0-14	33	—	—
15-19	12	—	—
20-29	50	1	—
30-39	47	2	—
40-49	46	4	—
50-59	44	3	—
60-69	30	3	1
70-79	11	4	1
80 and over	4	—	—
Not available	—	—	—
<b>Total</b>	<b>277</b>	<b>16</b>	<b>2</b>